

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	16	"725"/\$.ccls. and user adj preference with provider and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/28 10:29
L3	83	"725"/50.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/28 10:29
L4	1	("6526576").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/28 11:12
L5	440	"725"/\$.ccls. and williams.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/28 11:13
L6	16	"725"/\$.ccls. and williams-christopher-d.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/28 11:14

S1	148	("3,341,833") or ("3,440,427") or ("3,493,674") or ("3,645,539") or ("3,682,363") or ("3,833,757") or ("3,855,426") or ("3,891,792") or ("3,996,583") or ("4,016,361") or ("4,026,555") or ("4,052,719") or ("4,096,524") or ("4,134,127") or ("4,139,860") or ("4,161,728") or ("4,170,782") or ("4,203,130") or ("4,205,343") or ("4,218,698") or ("4,222,069") or ("4,231,031") or ("4,233,628") or ("4,249,211") or ("4,261,006") or ("4,264,924") or ("4,270,145") or ("4,283,735") or ("4,288,809") or ("4,319,286") or ("4,325,080") or ("4,329,684") or ("4,337,480") or ("4,337,483") or ("4,344,090") or ("4,390,901") or ("4,408,309") or ("4,412,244") or ("4,412,281") or ("4,420,769") or ("4,425,581") or ("4,430,676") or ("4,445,195") or ("4,449,249") or ("4,456,925") or ("4,477,830") or ("4,488,179") or ("4,495,654") or ("4,496,171") or ("4,496,976") or ("4,521,914") or ("4,547,804") or ("4,566,034") or ("4,577,240") or ("4,595,951") or ("4,595,952") or ("4,620,229") or ("4,630,108") or ("4,631,601") or ("4,633,331") or ("4,691,351") or ("4,694,490") or ("4,706,121") or ("4,707,121") or ("4,734,765") or ("4,751,578") or ("4,768,228") or ("4,786,982") or ("4,841,132") or ("4,866,434") or ("4,876,670") or ("4,891,715") or ("4,908,707") or ("4,908,713") or ("4,949,187") or ("4,963,866") or ("4,963,994") or ("4,972,396") or ("4,977,455") or ("4,991,033") or ("5,016,273") or ("5,021,893") or ("5,038,211") or ("5,063,453") or ("5,119,075") or ("5,134,499") or ("5,184,115") or ("5,119,075") or ("5,223,924") or ("5,227,934") or ("5,241,428") or ("5,291,554") or ("5,293,357") or ("5,307,173") or ("5,321,514") or ("5,329,320") or ("5,345,430") or ("5,357,383") or ("5,371,551") or ("5,371,795") or ("5,382,983") or ("5,404,505") or ("5,438,423") or ("5,457,583") or ("5,475,835") or ("5,479,268") or ("5,485,219") or ("5,489,894") or ("5,508,815") or ("5,515,173") or ("5,534,911") or ("5,555,463") or ("5,557,422") or ("5,589,892") or ("5,619,274") or ("5,663,757") or ("5,703,795") or ("5,729,549") or ("5,781,246") or ("5,818,441") or ("5,798,785") or ("6,029,045") or	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/21 15:12
----	-----	---	---	----	-----	------------------

S2	1	("20020029384").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/21 15:44
S3	152	725/46.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:07
S4	79	S3 and server and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:46
S5	4	S4 and private adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:48
S7	21	S4 and content adj provider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:48
S8	1	("2002/0029384").URPN.	USPAT	OR	ON	2005/07/21 16:10
S9	5	((("0924927") or ("9826584") or ("0011869")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/22 08:36
S17	82	725/50.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:35
S18	168	725/13,14.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:02
S19	152	725/46.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 11:05
S20	48	S19 and (user adj preference or user adj code or user adj log adj on)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:34

S21	1	S19 and (user adj code or user adj log adj on)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:34
S22	1	("6694352").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/22 10:35
S23	71	709/217,219,225.ccls. and program adj guide and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:50
S24	24	S23 and user adj preferences or user adj log adj on	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:54
S25	10	S23 and (user adj preferences or user adj log adj on)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:54
S28	176	"725"/\$.ccls. and program adj schedule near9 user and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:03
S29	1	"725"/\$.ccls. and program adj schedule near9 user adj (profile code) and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:03
S30	131	"725"/\$.ccls. and program adj schedule near4 user and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:04
S31	47	"725"/\$.ccls. and program adj schedule near user and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:05
S32	91	"725"/\$.ccls. and program adj schedule adj5 user and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:05

S33	4	"725"/\$.ccls. and program adj schedule near customized and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:06
S34	12	"725"/\$.ccls. and program adj (schedule or guide) near customized and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:10
S35	5	"725"/\$.ccls. and program adj (schedule or guide) near customized with user and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:12
S36	177	"725"/\$.ccls. and program adj (schedule or guide) and user adj (id number profile name) and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:13
S37	23	"725"/\$.ccls. and program adj (schedule or guide) with user adj (id number profile name) and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:36
S38	724	"725"/24.ccls. and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:36
S40	11	725/24.ccls. and program adj (schedule or guide) and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 11:36
S41	113	725/34.ccls. and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 12:55
S42	17	725/11.ccls. and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 12:58
S43	37	725/13.ccls. and (((ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 12:58

S44	42	725/46.ccls. and (user adj (name code id) or pin or personal adj identification adj number) and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:15
S45	724	725/24.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:10
S46	71	709/217,219,225.ccls. and program adj guide and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:20
S47	1	("20040019908").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/22 16:15
S49	7	709/217,219,225.ccls. and program adj (schedule and guide) and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:20
S50	88	709/217,219,225.ccls. and program adj (schedule or guide) and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:20
S51	42	725/46.ccls. and (user adj (name code id) or pin or personal adj identification adj number) and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:35
S52	16	725/46.ccls. and broadcast with digital adj video and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:39
S53	86	725/46.ccls. and broadcast with cable and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:47
S54	1	("6813775").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 08:45

S55	1	("6865746 ").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 08:45
S56	38	725/46.ccls. and pay-per-view and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:48
S57	44	725/46.ccls. and pay adj per adj view and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:51
S58	0	725/46.ccls. and pay adj1 view and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:51
S59	45	725/46.ccls. and pay adj2 view and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 08:58
S60	2	725/46.ccls. and selected adj providers and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 10:06
S61	1	"725"/\$.ccls. and selected adj providers same preference and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 10:06
S62	122	"725"/\$.ccls. and providers same preference and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/28 10:21
S63	58	"725"/\$.ccls. and providers near9 preference and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/25 10:07
S64	34	725/48.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/28 11:00

S65	48	725/49.ccls. and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 11:38
S66	1	725/48,49.ccls. and club and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 11:39
S67	43	"725"/\$.ccls. and club! and ((@ad<="20000720") or (@rlad<="20000720"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 13:05
S69	1	("9935849").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/27 13:14
S70	1	("5666645").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/27 13:07
S71	0	"Architecture for Convergence Systems".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 13:15
S72	8	S64 and preferences	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 15:52
S73	9	S64 and (profile preferences)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 15:54
S74	9	S65 and (profile preferences)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 15:55

S75	148	("3,341,833") or ("3,440,427") or ("3,493,674") or ("3,645,539") or ("3,682,363") or ("3,833,757") or ("3,855,426") or ("3,891,792") or ("3,996,583") or ("4,016,361") or ("4,026,555") or ("4,052,719") or ("4,096,524") or ("4,134,127") or ("4,139,860") or ("4,161,728") or ("4,170,782") or ("4,203,130") or ("4,205,343") or ("4,218,698") or ("4,222,069") or ("4,231,031") or ("4,233,628") or ("4,249,211") or ("4,261,006") or ("4,264,924") or ("4,270,145") or ("4,283,735") or ("4,288,809") or ("4,319,286") or ("4,325,080") or ("4,329,684") or ("4,337,480") or ("4,337,483") or ("4,344,090") or ("4,390,901") or ("4,408,309") or ("4,412,244") or ("4,412,281") or ("4,420,769") or ("4,425,581") or ("4,430,676") or ("4,445,195") or ("4,449,249") or ("4,456,925") or ("4,477,830") or ("4,488,179") or ("4,495,654") or ("4,496,171") or ("4,496,976") or ("4,521,914") or ("4,547,804") or ("4,566,034") or ("4,577,240") or ("4,595,951") or ("4,595,952") or ("4,620,229") or ("4,630,108") or ("4,631,601") or ("4,633,331") or ("4,691,351") or ("4,694,490") or ("4,706,121") or ("4,707,121") or ("4,734,765") or ("4,751,578") or ("4,768,228") or ("4,786,982") or ("4,841,132") or ("4,866,434") or ("4,876,670") or ("4,891,715") or ("4,908,707") or ("4,908,713") or ("4,949,187") or ("4,963,866") or ("4,963,994") or ("4,972,396") or ("4,977,455") or ("4,991,033") or ("5,016,273") or ("5,021,893") or ("5,038,211") or ("5,063,453") or ("5,119,075") or ("5,134,499") or ("5,184,115") or ("5,119,075") or ("5,223,924") or ("5,227,934") or ("5,241,428") or ("5,291,554") or ("5,293,357") or ("5,307,173") or ("5,321,514") or ("5,329,320") or ("5,345,430") or ("5,357,383") or ("5,371,551") or ("5,371,795") or ("5,382,983") or ("5,404,505") or ("5,438,423") or ("5,457,583") or ("5,475,835") or ("5,479,268") or ("5,485,219") or ("5,489,894") or ("5,508,815") or ("5,515,173") or ("5,534,911") or ("5,555,463") or ("5,557,422") or ("5,589,892") or ("5,619,274") or ("5,663,757") or ("5,703,795") or ("5,729,549") or ("5,781,246") or ("5,818,441") or ("5,798,785") or ("6,029,045") or	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/27 15:55
-----	-----	---	---	----	-----	------------------

S76	19	S75 and (preference profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 16:13
S77	135	ellis-michael-d.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 16:13
S78	76	S77 and "725"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/27 16:14